

L5 ANSWER 1 OF 28 CA COPYRIGHT 2005 ACS on STN
 AN 141:300052 CA
 ED Entered STN: 21 Oct 2004
 TI Super retarding setting agent for **cement**
 IN Zhou, Mingkai; Shen, Weiguo
 PA Wuhan University of Science and Technology, Peop. Rep. China
 SO Faming Zhuanli Shengqing Gongkai Shuomingshu, 4 pp.
 CODEN: CNXXEV

DT Patent
 LA Chinese
 IC ICM C04B024-10
 CC 58-1 (Cement, Concrete, and Related Building Materials)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	CN 1410382	A	20030416	CN 2002-147731	20021126
PRAI	CN 2002-147731		20021126		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
CN 1410382	ICM	C04B024-10
CN 1410382	ECLA	C04B040/00D4

AB The setting **retarder** contains sucrose 90-95%, and one or more of lignin, Ca lignosulfonate, monosaccharide and Ca gluconate 5-10%. The **delayed setting** agent is added to the base material before diluted by water, and its addition (to **cement**) is 0.04-0.06%.
 ST **cement** setting **retarder** lignin lignosulfonate monosaccharide gluconate; base material
 IT **Cement**
 Hydration kinetics
 (**cement** setting **retarder** containing. sucrose and lignin, Ca lignosulfonate, monosaccharide and/or Ca gluconate)
 IT Setting agents
 (**retarders**; **cement** setting **retarder** containing. sucrose and lignin, Ca lignosulfonate, monosaccharide and/or Ca gluconate)
 IT 57-50-1, Sucrose, uses 299-28-5, Calcium gluconate 8061-52-7, Calcium lignosulfonate 9005-53-2, Lignin, uses
 RL: MOA (Modifier or additive use); USES (Uses)
 (set **retarder**; **cement** setting **retarder** containing. sucrose and lignin, Ca lignosulfonate, monosaccharide and/or Ca gluconate)